



AUTOMOTIVE LUBRICANTS



THE
WORKSHOP'S
FRIEND



ABOUT HELLA

Headquartered in Germany, HELLA has been developing and manufacturing lighting and electronics components and systems for the automotive industry for more than 100 years.

Offering a comprehensive range of innovative and reliable aftermarket products to meet your automotive needs. As the world's leading key technology driver, we pledge to make the roads safer for every driver.

Today, HELLA stand firm in this commitment where quality assurance and safety is still the core of our expertise.

HELLA offers a broad range of lubricants for passenger vehicles, commercial vehicles and industrial applications. HELLA premium quality lubricants satisfy the strict oil specification and standards.

HELLA Lubricants – *For ultimate power and smoother ride on the road.*

WHY HELLA ENGINE OIL

**Global Market
Leader With More
Than 50 Million
Oil Sensors
Sold**

**Made In
South Korea Using
High Quality
Base Oil**

**Precise Balance
Of Engine Oil
Additive And
Base Oil**

OUR RANGE

MAXIMUM PERFORMANCE

Maximum Performance lubricants help deliver outstanding engine thermal stability, long lasting protection and performance of the engine.

Meeting requirements set by America's Oil and Natural Gas Industry (API), Maximum Performance help to unlock the engine's maximum performance.

FUEL EFFICIENCY

Fuel Efficiency lubricants are based on a special formula that helps reduce fuel usage compared to conventional oils offering the same level of performance.

Fuel Efficiency range not only improve the performance of the engine but will significantly reduce the fuel consumption and carbon footprint, and at the same time saving fuel cost.

ADVANCE DURABILITY

Ensure your engine stays protected against extreme temperatures and severe operating conditions. It will prevent sludge from forming and removing particles by taking them through the oil filter. It will prevent This will increase the longevity of engine parts and performance levels under all circumstances.

It provides the best protection for the engine without sacrificing Performance, Efficiency and Endurance.



OUR ENGINE OIL



CLEAN ENGINE

The reduced viscosity of engine oil can create excessive wear and increase the amount of sludge and varnish build up. HELLA engine oil is formulated to keep the engine clean even after long operation.



General Engine Oil



HELLA Engine Oil



General Engine Oil



HELLA Engine Oil

COLD TEMPERATURE

HELLA engine oil is formulated to flow smoothly at low temperature and maintains peak lubricity at high temperatures, offering the best protection even if the engine does not require it.

Please consult your vehicle manufacturer's manual for information specific to your vehicle.



MAXIMUM PERFORMANCE

Engineered for Today's City and Highway Drive

HELLA Performance range are advance synthetic motor oil formulated to keep engine running like new. Suitable for cars, vans and light commercial vehicle. These high-performance engine oils are uniquely designed to help provide outstanding performance in both city and highway drive.

• Advanced Synthetic Formula

- Formulated for newer vehicle emission control system

• Excellent Low-temperature Capabilities

- Enable quick cold weather smooth engine starting. Reduce engine noise and protecting engine life.

• Precise Performance

- High shear & oxidation stability for prolonged service life as well as prompt acceleration performance

• Exceptional Engine Protection

- Outstanding anti-contamination nature keeps the engine clean and protected even after long operation.



	Usage	Performance	Efficiency	Durability	Meets or Exceeds Requirements
HELLA Fully Synthetic PAO 0W20 / 0W30	Gasoline / LPG / Passenger Diesel	•	•	•	API SN / CF ACEA C2
HELLA Fully Synthetic 0W20 / 5W20	Gasoline / LPG	•	•	•	API SN ILSAC GF-5
HELLA Fully Synthetic 5W30	Passenger Diesel	•	•	•	API SN ACEA A3 / B3 / B4 Mercedes-Benz 229.3 Volkswagen 502.00 / 505.00



FUEL EFFICIENCY

Designed to Help Deliver Enhanced Fuel Efficiency

The well balance between our high-performance base oil, fortified with a precisely balanced component additive keep the engine running like new. Combining both advance formulation and low viscosity will increase engine efficiency and improve fuel economy.

- **Low Viscosity Advanced Synthetic Formula**

- Support quick cold-weather starting help extend the engine life and the amount of fuel usage.

- **Large Field of Applications**

- Using high quality base oils and careful selection of additives allows larger field of application.



- **Excellent Fluidity**

- Lubricated all moving parts in the engine right from start-up. Formulated specifically to reduce engine friction, thus improving energy efficiency and protecting even the most vulnerable engine parts.

	Usage	Efficiency	Performance	Durability	Meets or Exceeds Requirements
HELLA Fully Synthetic PAO 5W30	Gasoline / LPG / Passenger Diesel	•	•	•	API SN ACEA C3 Mercedes-Benz 229.51 / 229.31 / 229.52 BMW Longlife-04 Volkswagen 502.00 / 505.00 / 505.01 GM Dexos2™
HELLA Fully Synthetic 0W30 / 5W30	Gasoline / LPG	•		•	API SN ILSAC GF-5
HELLA Semi Synthetic 10W30	Passenger Diesel	•		•	API CF-4 / SG



ADVANCE DURABILITY

Advance Formula to Prolong Engine Life

Made with a high-performance component to help reduce leaks and provide better high temperature protection. If the engine contains excessive sludge deposits, HELLA durability range will help reduce the sludge prolong the life and maintain the efficiency of emission systems in both diesel and gasoline.

- **Powerful Active Cleaning Agents**

- Powerful dispersant property helps prevent sludge and deposits to keep engine clean.



- **Outstanding Thermal and Oxidative Stability**

- Supplemented with an additional anti-oxidant, resists oil breakdown delivering outstanding long service life and protection

	Usage	Durability	Efficiency	Performance	Meets or Exceeds Requirements
HELLA Fully Synthetic PAO 0W40	Gasoline / LPG / Passenger Diesel	•	•	•	API SN ACEA A3 / B4 BMW Longlife-01 Porsche A40 Volkswagen 502.00 / 505.00 Ford WSS-M2C937-A Renault RN 0700 / 0710
HELLA Fully Synthetic 5W40 / 10W40	Gasoline / LPG	•		•	API SN
HELLA Semi Synthetic 10W40	Gasoline / LPG / Passenger Diesel	•			API SN / API SL / CF ACEA A3 / B3 / B4 Mercedes-Benz 229.3 Volkswagen 502.00 / 505.00 Renault RN 0700 / 0710

HELLA Asia Singapore Pte Ltd

2 International Business Park

#02-12 The Strategy

Singapore 609930

Tel: +65 6854 7300

Fax: +65 6854 7302

E-mail: info.sg@hella.com

Internet: www.hellaasia.com

© HELLA GmbH & Co. KGaA, Lippstadt

HSG-EO-1920/1103-001EN

